

# Calculating Time Constants and Expiratory Time

## Use 3 time constant to calculate the expiratory time

**Time Constant** = The length of time it takes for the lung units to fill or empty. This means that time constant equals the length of time in seconds required for lung units to inflate and deflate to a certain % of their total volume.

**Formulas to know:**

**Measured Inspiratory flow needs to be converted to L/cmH<sub>2</sub>O second**

**Inspiratory flow per second** = (L/min / 60 seconds)

$$R_{aw} = (PIP - Pplat)$$

$$\text{Time Constant} = (R_{aw} / \text{flow L/cmH}_2\text{O})$$

**Expiratory time** = Time Constant x 3 **Example:** 3 converted to 0.3  
~See Figure 1~

**Note:** Inspiratory flow is measured in L/cmH<sub>2</sub>O minute. You will need to convert this to L/cmH<sub>2</sub>O second. Divide flow by 60 seconds to give you L/cmH<sub>2</sub>O second

**Example:** Inspiratory flow = 40 L/cmH<sub>2</sub>O minute, PIP 20, and Pplat 15.

**Step 1: Convert flow:** (40 L/cmH<sub>2</sub>O minute / 60 seconds) = 0.66 or 0.7

**Step 2: R<sub>aw</sub> = (PIP - Pplat) Example:** (20 cmH<sub>2</sub>O - 15 cmH<sub>2</sub>O) = 5 cmH<sub>2</sub>O

**Step 3: (R<sub>aw</sub> / flow) Example:** (5 / 0.7) = 7.14 or 7

**Step 4: Time Constant = Example:** (7 x 0.3) = 2.1 seconds E time

**Figure 1:**

**Time Constant Method to determine expiratory time:**

0.1 sec = 1 time constant means it takes 63% of the volume to be inhaled or exhaled

0.2 sec = 2 time constant means it takes 86% of the volume to be inhaled or exhaled

0.3 sec = 3 time constant means it takes 95% of the volume to be inhaled or exhaled

0.4 sec = 4 time constant means it takes 98% of the volume to be inhaled or exhaled

0.5 sec = 5 time constant means it takes 100% of the volume to be inhaled or exhaled

**Practice:**

**1. Given a Inspiratory flow of 40 L/cmH<sub>2</sub>O minute, PIP 35 and Pplat 20, calculate the following based on: 3 Time Constant.**

- a. Inspiratory flow 40 L/cmH<sub>2</sub>O minute
  - I. \_\_\_\_\_ L/cmH<sub>2</sub>O minute / \_\_\_\_\_ seconds = \_\_\_\_\_
- b. PIP 35 cmH<sub>2</sub>O; Pplat 20 cmH<sub>2</sub>O
  - I. **R<sub>aw</sub>** = \_\_\_\_\_ cmH<sub>2</sub>O
- c. Time Constant Calculation: (R<sub>aw</sub> / flow L/cmH<sub>2</sub>O second)
  - I. \_\_\_\_\_ / \_\_\_\_\_ = \_\_\_\_\_
  - II. \_\_\_\_\_ x \_\_\_\_\_ Times Constant = \_\_\_\_\_
  - a) **Expiratory time needed** = \_\_\_\_\_ seconds

**2. Given a Inspiratory flow of 30 L/cmH<sub>2</sub>O minute, PIP 20 and Pplat 16, calculate the following based on: 3 Times Constant.**

- a. Inspiratory flow 30 L/cmH<sub>2</sub>O minute
  - I. \_\_\_\_\_ L/cmH<sub>2</sub>O minute / \_\_\_\_\_ seconds = \_\_\_\_\_
- b. PIP 20 cmH<sub>2</sub>O; Pplat 16 cmH<sub>2</sub>O
  - I. **R<sub>aw</sub>** = \_\_\_\_\_ cmH<sub>2</sub>O
- c. Time Constant Calculation: (R<sub>aw</sub> / flow L/cmH<sub>2</sub>O second)
  - I. \_\_\_\_\_ / \_\_\_\_\_ = \_\_\_\_\_
  - II. \_\_\_\_\_ x \_\_\_\_\_ Times Constant = \_\_\_\_\_
  - a) **Expiratory time needed** = \_\_\_\_\_ seconds

**3. Given a Inspiratory flow of 50 L/cmH<sub>2</sub>O minute, PIP 25 and Pplat 17, calculate the following based on: 3 Times Constant.**

- a. Inspiratory flow 50 L/cmH<sub>2</sub>O minute
  - I. \_\_\_\_\_ L/cmH<sub>2</sub>O minute / \_\_\_\_\_ seconds = \_\_\_\_\_
- b. PIP 25 cmH<sub>2</sub>O; Pplat 17 cmH<sub>2</sub>O
  - I. **R<sub>aw</sub>** = \_\_\_\_\_ cmH<sub>2</sub>O
- c. Time Constant Calculation: (R<sub>aw</sub> / flow L/cmH<sub>2</sub>O second)
  - I. \_\_\_\_\_ / \_\_\_\_\_ = \_\_\_\_\_
  - II. \_\_\_\_\_ x \_\_\_\_\_ Times Constant = \_\_\_\_\_
  - a) **Expiratory time needed** = \_\_\_\_\_ seconds

4. Given a Inspiratory flow of 60 L/cmH<sub>2</sub>O minute, PIP 44 and Pplat 28, calculate the following based on: 3 Times Constant.

a. Inspiratory flow 60 L/cmH<sub>2</sub>O minute

I. \_\_\_\_\_ L/cmH<sub>2</sub>O minute / \_\_\_\_\_ seconds =

b. PIP 44 cmH<sub>2</sub>O; Pplat 28 cmH<sub>2</sub>O

I. \_\_\_\_\_ R<sub>aw</sub> = \_\_\_\_\_ cmH<sub>2</sub>O

c. Time Constant Calculation: (R<sub>aw</sub> / flow L/cmH<sub>2</sub>O second)

I. \_\_\_\_\_ / \_\_\_\_\_ = \_\_\_\_\_

II. \_\_\_\_\_ x \_\_\_\_\_ Time Constant = \_\_\_\_\_

a) Expiratory time needed = \_\_\_\_\_ seconds

5. Given a Inspiratory flow of 80 L/cmH<sub>2</sub>O minute, PIP 44 and Pplat 15, calculate the following based on: 3 Times Constant.

a. Inspiratory flow 80 L/cmH<sub>2</sub>O minute

I. \_\_\_\_\_ L/cmH<sub>2</sub>O minute / \_\_\_\_\_ seconds =

b. PIP 44 cmH<sub>2</sub>O; Pplat 15 cmH<sub>2</sub>O

I. R<sub>aw</sub> = \_\_\_\_\_ cmH<sub>2</sub>O

c. Time Constant Calculation: (R<sub>aw</sub> / flow L/cmH<sub>2</sub>O second)

I. \_\_\_\_\_ / \_\_\_\_\_ = \_\_\_\_\_

II. \_\_\_\_\_ x \_\_\_\_\_ Time Constant = \_\_\_\_\_

a) Expiratory time needed = \_\_\_\_\_ seconds